CONTENTS OF VOLUME 17

Rietz Lecture, Wald Lectures, Articles and Short Communications

ALEXANDER, KENNETH S. A counterexample to a correlation inequality in finite sampling 436–439

ANSLEY, CRAIG F. AND KOHN, ROBERT. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 535–540

ARMSTRONG, THOMAS E. AND SUDDERTH, WILLIAM D. Locally coherent rates of exchange 1394–1408

ASSAF, DAVID AND RITOV, YA'ACOV. Dynamic sampling procedures for detecting a change in the drift of Brownian motion: A non-Bayesian model 793–800

BABU, G. J AND SINGH, K. On Edgeworth expansions in the mixture cases 443–447

BAR-LEV, SHAUL K. AND BSHOUTY, DAOUD. Rational variance functions 741–748

BARRON, ANDREW R. Uniformly powerful goodness of fit tests .. 107–124

BASAWA, I. V., MALLIK, A. K., MCCORMICK, W. P. AND TAYLOR, R. L. Bootstrapping explosive autoregressive processes 1479–1486

BERAN, R. AND MILLAR, P. W. A stochastic minimum distance test for multivariate parametric models 125–140

BERGER, JAMES O. AND LU, K. L. Estimation of normal means: Frequentist estimation of loss 890–906

BERGER, JAMES O. AND SIVAGANESAN, S. Ranges of posterior measures for priors with unimodal contaminations 868–889

BERTELSEN, AKSEL. On non-null distributions connected with testing reality of a complex normal distribution 929–936

BHATTACHARYA, RABI AND QUMSIYEH, MAHER. Second order and L^p-comparisons between the bootstrap and empirical Edgeworth expansion methodologies 160–169

BIDEN, EDMUND N., WYATT, MARILYNN P., SUTHERLAND, DAVID H. AND OLSHEN, RICHARD A. Gait analysis and the bootstrap 1419–1440

BIRGÉ, LUCIEN. The Grenander estimator: A nonasymptotic approach 1532–1549

BOENTE, GRACIELA AND FRAIMAN, RICARDO. Robust nonparametric regression estimation for dependent observations 1242–1256

BREIMAN, LEO. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 510–515

BRONIATOWSKI, MICHEL, DEHEUVELS, PAUL AND DEVROYE, LUC. On the relationship between stability of extreme order statistics and convergence of the maximum likelihood kernel density estimate 1070–1086

BROWN, LAWRENCE D. AND HWANG, JIUNN T. Universal domination and stochastic domination: U-admissibility and U-inadmissibility of the least squares estimator 252–267
BROWN, LAWRENCE D. AND MARDEN, JOHN I. Complete class results for hypothesis testing problems with simple null hypotheses 209–235
BRUNNER, LAWRENCE J. AND LO, ALBERT Y. Bayes methods for a symmetric unimodal density and its mode 1550–1566
BSHOUTY, DAOUD AND BAR-LEV, SHAUL K. Rational variance functions 741–748
BUJA, ANDREAS, HASTIE, TREVOR AND TIBSHIRANI, ROBERT. Linear smoothers and additive models 453–510
BUJA, ANDREAS, HASTIE, TREVOR AND TIBSHIRANI, ROBERT. Rejoinder 543–555
BURMAN, PRABIR AND CHEN, KEH-WEI. Nonparametric estimation of a regression function 1567–1596
CHANG, TED. Spherical regression with errors in variables 293–306
CHEN, KEH-WEI AND BURMAN, PRABIR. Nonparametric estimation of a regression function 1567–1596
CHEN, ZEHUA, GU, CHONG AND WAHBA, GRACE. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 515–522
CHRISTENSEN, RONALD. Lack-of-fit tests based on near or exact replicates 673–683
COHEN, ARTHUR AND MARDEN, JOHN I. On the admissibility and consistency of tests for homogeneity of variances 236–251
COLLINS, JOHN AND WIENS, DOUGLAS. Minimax properties of M-, R- and L-estimators of location in Lévy neighbourhoods . 327–336
COX, DENNIS D. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 522–525
COX, DENNIS D. AND NYCHKA, DOUGLAS W. Convergence rates for regularized solutions of integral equations from discrete noisy data 556–572
CSISZÁR, IMRE. A geometric interpretation of Darroch and Ratcliff's generalized iterative scaling 1409–1413
CSÖRGŐ, SÁNDOR AND MASON, DAVID M. Bootstrapping empirical functions 1447–1471
DABROWSKA, DOROTA M. Uniform consistency of the kernel conditional Kaplan–Meier estimate 1157–1167
DAHLHAUS, RAINER. Efficient parameter estimation for self-similar processes 1749–1766
DASGUPTA, ANIRBAN. A general theorem on decision theory for nonnegative functionals: With applications 1360–1374
DAVIS, LINDA JUNE. Intersection union tests for strict collapsibility in three-dimensional contingency tables 1693–1708

DAVIS, M. H. A. AND HEMERLY, E. M. Strong consistency of the PLS criterion for order determination of autoregressive processes 941–946

DE HAAN, LAURENS AND DEKKERS, ARNOLD L. M. On the estimation of the extreme-value index and large quantile estimation 1795–1832

DE HAAN, L., DEKKERS, A. L. M. AND EINMAHL, J. H. J. A moment estimator for the index of an extreme-value distribution 1833–1855

DEHEUVELS, PAUL, DEVROYE, LUC AND BRONIATOWSKI, MICHEL. On the relationship between stability of extreme order statistics and convergence of the maximum likelihood kernel density estimate 1070–1086

DEHLING, HEROLD AND TAQQU, MURAD S. The empirical process of some long-range dependent sequences with an application to *U*-statistics 1767–1783

DEKKERS, ARNOLD L. M. AND DE HAAN, LAURENS. On the estimation of the extreme-value index and large quantile estimation 1795–1832

DEKKERS, A. L. M., EINMAHL, J. H. J. AND DE HAAN, L. A moment estimator for the index of an extreme-value distribution 1833–1855

DEVROYE, LUC, BRONIATOWSKI, MICHEL AND DEHEUVELS, PAUL. On the relationship between stability of extreme order statistics and convergence of the maximum likelihood kernel density estimate 1070–1086

DIACONIS, PERSI. A generalization of spectral analysis with application to ranked data 949–979

DICICCIO, THOMAS J., ROMANO, JOSEPH P. AND HALL, PETER. On smoothing and the bootstrap 692–704

DICKEY, DAVID A. AND FOUNTIS, NICOLAOS G. Testing for a unit root nonstationarity in multivariate autoregressive time series 419–428

DONOHO, DAVID L. AND JOHNSTONE, IAIN M. Projection-based approximation and a duality with kernel methods 58–106

DOSS, HANI. On estimating the dependence between two point processes 749–763

DOSS, HANI, FREITAG, STEVEN AND PROSCHAN, FRANK. Estimating jointly system and component reliabilities using a mutual censorship approach 764–782

DOSS, HANI AND SETHURAMAN, JAYARAM. The price of bias reduction when there is no unbiased estimate 440–442

DROST, F. C. Generalized chi-square goodness-of-fit tests for location-scale models when the number of classes tends to infinity . 1285–1300

DUAN, NAIHUA AND LI, KER-CHAU. Regression analysis under link violation 1009–1052

EINMAHL, J. H. J., DE HAAN, L. AND DEKKERS, A. L. M. A moment estimator for the index of an extreme-value distribution 1833–1855
EUBANK, R. L. AND SPECKMAN, P. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 525–529
FARRELL, ROGER H., KLONECKI, WITOLD AND ZONTEK, STEFAN. All admissible linear estimators of the vector of gamma scale parameters with application to random effects models 268–281
FOUNTIS, NICOLAOS G. AND DICKEY, DAVID A. Testing for a unit root nonstationarity in multivariate autoregressive time series 419–428
FRAIMAN, RICARDO AND BOENTE, GRACIELA. Robust nonparametric regression estimation for dependent observations 1242–1256
FREITAG, STEVEN, PROSCHAN, FRANK AND DOSS, HANI. Estimating jointly system and component reliabilities using a mutual censorship approach 764–782
FRIEDRICH, KARL O. A Berry–Esseen bound for functions of independent random variables 170–183
FUJIKOSHI, YASUNORI AND SHIMIZU, RYOICHI. Asymptotic expansions of some mixtures of the multivariate normal distribution and their error bounds 1124–1132
GANDER, WALTER AND GOLUB, GENE H. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 529–532
GASSER, THEO AND KNEIP, ALOIS. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 532–535
GHOSH, M., SRINIVASAN, C., VARDEMAN, S. AND MEEDEN, G. The admissibility of the Kaplan–Meier and other maximum likelihood estimators in the presence of censoring 1509–1531
GINÉ, EVARIST AND ZINN, JOEL. Necessary conditions for the bootstrap of the mean 684–691
GOLUB, GENE H. AND GANDER, WALTER. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 529–532
GOOD, I. J. AND MITTAL, Y. Addendum to: "The amalgamation and geometry of two-by-two contingency tables" 947
GORDON, LOUIS. Bounds for the distribution of the generalized variance 1684–1692
GRENANDER, ULF. Advances in pattern theory 1–30
GU, CHONG, WAHBA, GRACE AND CHEN, ZEHUA. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 515–522
HABERMAN, SHELBY J. Concavity and estimation 1631–1661
HALL, PETER. On polynomial-based projection indices for exploratory projection pursuit 589–605

HALL, PETER. On projection pursuit regression 573–588
HALL, PETER, DICICCIO, THOMAS J. AND ROMANO, JOSEPH P. On smoothing and the bootstrap 692–704
HASTIE, TREVOR, TIBSHIRANI, ROBERT AND BUJA, ANDREAS. Linear smoothers and additive models 453–510
HASTIE, TREVOR, TIBSHIRANI, ROBERT AND BUJA, ANDREAS. Rejoinder 543–555
HEATH, DAVID AND SUDDERTH, WILLIAM. Coherent inference from improper priors and from finitely additive priors 907–919
HEDAYAT, A., LIN, BING-YING AND STUFKEN, J. The construction of ΠPS sampling designs through a method of emptying boxes 1886–1905
HEDAYAT, A. AND STUFKEN, J. On the maximum number of constraints in orthogonal arrays 448–451
HEMERLY, E. M. AND DAVIS, M. H. A. Strong consistency of the PLS criterion for order determination of autoregressive processes 941–946
HILL, THEODORE P. AND TONG, Y. L. Optimal-partitioning inequalities in classification and multi-hypotheses testing 1325–1334
HOOPER, PETER M. Minimaxity of randomized optimal designs . 1315–1324
HOSOYA, YUZO. The bracketing condition for limit theorems on stationary linear processes 401–418
HU, INCHI AND WEI, C. Z. Irreversible adaptive allocation rules . 801–823
HWANG, JIUNN T. AND BROWN, LAWRENCE D. Universal domination and stochastic domination: U-admissibility and U-inadmissibility of the least squares estimator 252–267
JACOBSEN, MARTIN. Right censoring and martingale methods for failure time data 1133–1156
JESPERSEN, NIELS CHRISTIAN BANG. On the structure of transformation models 195–208
JOHNSTONE, IAIN M. AND DONOHO, DAVID L. Projection-based approximation and a duality with kernel methods 58–106
JOHNSTONE, IAIN AND SIEGMUND, DAVID. On Hotelling's formula for the volume of tubes and Naiman's inequality 184–194
KARIYA, TAKEAKI. Equivariant estimation in a model with an ancillary statistic 920–928
KELLY, ROBERT E. Stochastic reduction of loss in estimating normal means by isotonic regression 937–940
KLAASSEN, CHRIS A. J. Estimators and spread 859–867
KLONECKI, WITOLD, ZONTEK, STEFAN AND FARRELL, ROGER H. All admissible linear estimators of the vector of gamma scale parameters with application to random effects models 268–281
KNEIP, ALOIS AND GASSER, THEO. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 532–535

KNIGHT, KEITH. Consistency of Akaike's information criterion for infinite variance autoregressive processes 824–840
KNIGHT, KEITH. On the bootstrap of the sample mean in the infinite variance case 1168–1175
KOENKER, ROGER AND PORTNOY, STEPHEN. Adaptive L-estimation for linear models 362–381
KOHN, ROBERT AND ANSLEY, CRAIG F. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 535–540
KOUL, HIRA L. AND LEVENTAL, SHLOMO. Weak convergence of the residual empirical process in explosive autoregression 1784–1794
KUBOKAWA, TATSUYA, SALEH, A. K. MD. EHSANES AND SEN, PRANAB KUMAR. The Stein paradox in the sense of the Pitman measure of closeness 1375–1386
KÜNSCH, HANS R. The jackknife and the bootstrap for general stationary observations 1217–1241
LANGE, NICHOLAS AND RYAN, LOUISE. Assessing normality in random effects models 624–642
LAURITZEN, S. L. AND WERMUTH, N. Graphical models for associations between variables, some of which are qualitative and some quantitative 31–57
LETAC, GÉRARD AND SESHADRI, VANAMAMALAI. The expectation of X^{-1} as a function of $\mathbb{E}(X)$ for an exponential family on the positive line 1735–1741
LEVENTAL, SHLOMO AND KOUL, HIRA L. Weak convergence of the residual empirical process in explosive autoregression 1784–1794
LI, KER-CHAU. Honest confidence regions for nonparametric regression 1001–1008
LI, KER-CHAU AND DUAN, NAIHUA. Regression analysis under link violation 1009–1052
LIN, BING-YING, STUFKEN, J. AND HEDAYAT, A. The construction of ΠPS sampling designs through a method of emptying boxes 1886–1905
LINDSAY, BRUCE G. Moment matrices: Applications in mixtures . 722–740
LINDSAY, BRUCE G. On the determinants of moment matrices .. 711–721
LO, ALBERT Y. AND BRUNNER, LAWRENCE J. Bayes methods for a symmetric unimodal density and its mode 1550–1566
LOH, WEI-YIN. Bounds on the size of the χ^2-test of independence in a contingency table 1709–1722
LOPUHAÄ, HENDRIK P. On the relation between S-estimators and M-estimators of multivariate location and covariance 1662–1683
LU, K. L. AND BERGER, JAMES O. Estimation of normal means: Frequentist estimation of loss 890–906
MALLIK, A. K., MCCORMICK, W. P., TAYLOR, R. L. AND BASAWA, I. V. Bootstrapping explosive autoregressive processes 1479–1486

MAMMEN, ENNO. Asymptotics with increasing dimension for robust regression with applications to the bootstrap 382–400

MARDEN, JOHN I. AND BROWN, LAWRENCE D. Complete class results for hypothesis testing problems with simple null hypotheses 209–235

MARDEN, JOHN I. AND COHEN, ARTHUR. On the admissibility and consistency of tests for homogeneity of variances 236–251

MARTIN, R. D., YOHAI, V. J. AND ZAMAR, R. H. Min-max bias robust regression 1608–1630

MASON, DAVID M. AND CSÖRGŐ, SÁNDOR. Bootstrapping empirical functions 1447–1471

MCCORMICK, W. P., TAYLOR, R. L., BASAWA, I. V. AND MALLIK, A. K. Bootstrapping explosive autoregressive processes 1479–1486

MEEDEN, G., GHOSH, M., SRINIVASAN, C. AND VARDEMAN, S. The admissibility of the Kaplan–Meier and other maximum likelihood estimators in the presence of censoring 1509–1531

MILLAR, P. W. AND BERAN, R. A stochastic minimum distance test for multivariate parametric models 125–140

MILLER, STEPHEN M. Empirical processes based upon residuals from errors-in-variables regressions 282–292

MITTAL, Y. AND GOOD, I. J. Addendum to: "The amalgamation and geometry of two-by-two contingency tables" 947

MÜLLER, HANS-GEORG. Adaptive nonparametric peak estimation 1053–1069

MÜLLER-FUNK, ULRICH, PUKELSHEIM, FRIEDRICH AND WITTING, HERMANN. On the attainment of the Cramér–Rao bound in $\mathbb{L}_r$-differentiable families of distributions 1742–1748

NAVIDI, WILLIAM. Edgeworth expansions for bootstrapping regression models 1472–1478

NYCHKA, DOUGLAS W. AND COX, DENNIS D. Convergence rates for regularized solutions of integral equations from discrete noisy data 556–572

OLSHEN, RICHARD A., BIDEN, EDMUND N., WYATT, MARILYNN P. AND SUTHERLAND, DAVID H. Gait analysis and the bootstrap 1419–1440

PORTEOUS, B. T. Stochastic inequalities relating a class of log-likelihood ratio statistics to their asymptotic χ^2 distribution . 1723–1734

PORTNOY, STEPHEN AND KOENKER, ROGER. Adaptive L-estimation for linear models 362–381

PÖTSCHER, B. M. Model selection under nonstationarity: Autoregressive models and stochastic linear regression models 1257–1274

PROSCHAN, FRANK, DOSS, HANI AND FREITAG, STEVEN. Estimating jointly system and component reliabilities using a mutual censorship approach 764–782

PUKELSHEIM, FRIEDRICH, WITTING, HERMANN AND MÜLLER-FUNK, ULRICH. On the attainment of the Cramér–Rao bound in $\mathbb{L}_r$-differentiable families of distributions 1742–1748

QUMSIYEH, MAHER AND BHATTACHARYA, RABI. Second order and L^p-comparisons between the bootstrap and empirical Edgeworth expansion methodologies 160–169

RITOV, YA'ACOV AND ASSAF, DAVID. Dynamic sampling procedures for detecting a change in the drift of Brownian motion: A non-Bayesian model 793–800

RIVEST, LOUIS-PAUL. Spherical regression for concentrated Fisher–von Mises distributions 307–317

ROMANO, JOSEPH P. Bootstrap and randomization tests of some nonparametric hypotheses 141–159

ROMANO, JOSEPH P., HALL, PETER AND DICICCIO, THOMAS J. On smoothing and the bootstrap 692–704

ROSENBAUM, PAUL R. On permutation tests for hidden biases in observational studies: An application of Holley's inequality to the Savage lattice 643–653

RYAN, LOUISE AND LANGE, NICHOLAS. Assessing normality in random effects models 624–642

SALEH, A. K. MD. EHSANES, SEN, PRANAB KUMAR AND KUBOKAWA, TATSUYA. The Stein paradox in the sense of the Pitman measure of closeness 1375–1386

SATHE, Y. S. AND SHENOY, R. G. A-optimal weighing designs when $N \equiv 3 \pmod 4$ 1906–1915

SAUERMANN, WILHELM. Bootstrapping the maximum likelihood estimator in high-dimensional log-linear models 1198–1216

SCHERVISH, MARK J. A general method for comparing probability assessors 1856–1879

SCHNELLER, WALTER. Edgeworth expansions for linear rank statistics 1103–1123

SEN, PRANAB KUMAR, KUBOKAWA, TATSUYA AND SALEH, A. K. MD. EHSANES. The Stein paradox in the sense of the Pitman measure of closeness 1375–1386

SESHADRI, VANAMAMALAI AND LETAC, GÉRARD. The expectation of X^{-1} as a function of $\mathbb{E}(X)$ for an exponential family on the positive line 1735–1741

SETHURAMAN, JAYARAM AND DOSS, HANI. The price of bias reduction when there is no unbiased estimate 440–442

SHAMAN, PAUL AND STINE, ROBERT A. A fixed point characterization for bias of autoregressive estimators 1275–1284

SHAO, JUN AND WU, C. F. J. A general theory for jackknife variance estimation 1176–1197

SHAPIRO, ALEXANDER. Asymptotic properties of statistical estimators in stochastic programming 841–858

SHENOY, R. G. AND SATHE, Y. S. *A*-optimal weighing designs when $N \equiv 3 \pmod 4$ 1906–1915
SHIMIZU, RYOICHI AND FUJIKOSHI, YASUNORI. Asymptotic expansions of some mixtures of the multivariate normal distribution and their error bounds 1124–1132
SIEGMUND, DAVID AND JOHNSTONE, IAIN. On Hotelling's formula for the volume of tubes and Naiman's inequality 184–194
SIMONS, GORDON, YAO, YI-CHING AND WU, XIZHI. Sequential tests for the drift of a Wiener process with a smooth prior, and the heat equation 783–792
SINGH, K. AND BABU, G. J. On Edgeworth expansions in the mixture cases 443–447
SIVAGANESAN, S. AND BERGER, JAMES O. Ranges of posterior measures for priors with unimodal contaminations 868–889
SMITH, J. Q. Influence diagrams for statistical modelling 654–672
SPECKMAN, P. AND EUBANK, R. L. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 525–529
SRINIVASAN, C., VARDEMAN, S., MEEDEN, G. AND GHOSH, M. The admissibility of the Kaplan–Meier and other maximum likelihood estimators in the presence of censoring 1509–1531
STEIN, MICHAEL. Asymptotic distributions of minimum norm quadratic estimators of the covariance function of a Gaussian random field 980–1000
STENGER, HORST. Asymptotic analysis of minimax strategies in survey sampling 1301–1314
STENGLE, G. AND YUKICH, J. E. Some new Vapnik–Chervonenkis classes 1441–1446
STINE, ROBERT A. AND SHAMAN, PAUL. A fixed point characterization for bias of autoregressive estimators 1275–1284
STUDDEN, W. J. Note on some ϕ_p-optimal designs for polynomial regression 618–623
STUFKEN, J. AND HEDAYAT, A. On the maximum number of constraints in orthogonal arrays 448–451
STUFKEN, J., HEDAYAT, A. AND LIN, BING-YING. The construction of ΠPS sampling designs through a method of emptying boxes 1886–1905
SUDDERTH, WILLIAM D. AND ARMSTRONG, THOMAS E. Locally coherent rates of exchange 1394–1408
SUDDERTH, WILLIAM AND HEATH, DAVID. Coherent inference from improper priors and from finitely additive priors 907–919
SUTHERLAND, DAVID H., OLSHEN, RICHARD A., BIDEN, EDMUND N. AND WYATT, MARILYNN P. Gait analysis and the bootstrap 1419–1440

SVENSSON, ÅKE. Estimation in some counting process models with multiplicative structure 1501–1508
TAHIR, MOHAMED. An asymptotic lower bound for the local minimax regret in sequential point estimation 1335–1346
TAQQU, MURAD S. AND DEHLING, HEROLD. The empirical process of some long-range dependent sequences with an application to U-statistics 1767–1783
TAYLOR, R. L., BASAWA, I. V., MALLIK, A. K. AND MCCORMICK, W. P. Bootstrapping explosive autoregressive processes 1479–1486
TIBSHIRANI, ROBERT, BUJA, ANDREAS AND HASTIE, TREVOR. Linear smoothers and additive models 453–510
TIBSHIRANI, ROBERT, BUJA, ANDREAS AND HASTIE, TREVOR. Rejoinder 543–555
TITTERINGTON, D. M. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 540–543
TONG, Y. L. Inequalities for a class of positively dependent random variables with a common marginal 429–435
TONG, Y. L. AND HILL, THEODORE P. Optimal-partitioning inequalities in classification and multi-hypotheses testing 1325–1334
TRUONG, YOUNG K. Asymptotic properties of kernel estimators based on local medians 606–617
VAN DER VAART, AAD. On the asymptotic information bound ... 1487–1500
VARDEMAN, S., MEEDEN, G., GHOSH, M. AND SRINIVASAN, C. The admissibility of the Kaplan–Meier and other maximum likelihood estimators in the presence of censoring 1509–1531
WAHBA, GRACE, CHEN, ZEHUA AND GU, CHONG. Discussion of "Linear smoothers and additive models" by Buja, Hastie and Tibshirani 515–522
WASSERMAN, LARRY ALAN. A robust Bayesian interpretation of likelihood regions 1387–1393
WEI, C. Z. AND HU, INCHI. Irreversible adaptive allocation rules . 801–823
WELSH, A. H. On M-processes and M-estimation 337–361
WENG, CHUNG-SING. On a second-order asymptotic property of the Bayesian bootstrap mean 705–710
WERMUTH, N. AND LAURITZEN, S. L. Graphical models for associations between variables, some of which are qualitative and some quantitative 31–57
WESTFALL, PETER H. Power comparisons for invariant variance ratio tests in mixed ANOVA models 318–326
WIENS, DOUGLAS AND COLLINS, JOHN. Minimax properties of M-, R- and L-estimators of location in Lévy neighbourhoods . 327–336
WITTING, HERMANN, MÜLLER-FUNK, ULRICH AND PUKELSHEIM, FRIEDRICH. On the attainment of the Cramér–Rao bound in L_r-differentiable families of distributions 1742–1748
WOODROOFE, MICHAEL. Very weak expansions for sequentially designed experiments: Linear models 1087–1102
WU, C. F. J. Construction of 2^m4^n designs via a grouping scheme . 1880–1885

WU, C. F. J. AND SHAO, JUN. A general theory for jackknife variance estimation 1176–1197
WU, XIZHI, SIMONS, GORDON AND YAO, YI-CHING. Sequential tests for the drift of a Wiener process with a smooth prior, and the heat equation 783–792
WYATT, MARILYNN P., SUTHERLAND, DAVID H., OLSHEN, RICHARD A. AND BIDEN, EDMUND N. Gait analysis and the bootstrap . 1419–1440
YAO, YI-CHING, WU, XIZHI AND SIMONS, GORDON. Sequential tests for the drift of a Wiener process with a smooth prior, and the heat equation 783–792
YATRACOS, YANNIS G. A regression type problem 1597–1607
YOHAI, V. J., ZAMAR, R. H. AND MARTIN, R. D. Min-max bias robust regression 1608–1630
YU, QIQING. Inadmissibility of the empirical distribution function in continuous invariant problems 1347–1359
YUKICH, J. E. AND STENGLE, G. Some new Vapnik–Chervonenkis classes 1441–1446
ZAMAR, R. H., MARTIN, R. D. AND YOHAI, V. J. Min-max bias robust regression 1608–1630
ZINN, JOEL AND GINÉ, EVARIST. Necessary conditions for the bootstrap of the mean 684–691
ZONTEK, STEFAN, FARRELL, ROGER H. AND KLONECKI, WITOLD. All admissible linear estimators of the vector of gamma scale parameters with application to random effects models 268–281

Corrections

AKRITAS, MICHAEL G. Empirical processes associated with *V*-statistics and a class of estimators under random censoring 1417
BROWN, L. D., COHEN, ARTHUR AND STRAWDERMAN, W. E. Complete classes for sequential tests of hypotheses 1414–1416
COHEN, ARTHUR, STRAWDERMAN, W. E. AND BROWN, L. D. Complete classes for sequential tests of hypotheses 1414–1416
KARIYA, TAKEAKI. Robustness of multivariate tests 948
LAURITZEN, S. L. AND WERMUTH, N. Graphical models for associations between variables, some of which are qualitative and some quantitative 1916
STRAWDERMAN, W. E., BROWN, L. D. AND COHEN, ARTHUR. Complete classes for sequential tests of hypotheses 1414–1416
WERMUTH, N. AND LAURITZEN, S. L. Graphical models for associations between variables, some of which are qualitative and some quantitative 1916
WOODROOFE, MICHAEL. Asymptotic local minimaxity in sequential point estimation 452

Acknowledgment of Priority

ALEXANDER, KENNETH S. A counterexample to a correlation inequality in finite sampling 1917